

- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results



*Experience from  
administration of*

## **ImunoBran** in patients with **HPV**




- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The disease

A Virus infecting **Humans**

**H**uman  
**P**apilloma  
**V**irus




- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The disease

### Human Papilloma Virus

There are  
**200 types**  
of this  
**Virus**




- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The symptoms

### Genital warts:

Some of them  
can cause  
**warts**  
on our skin




- The disease
- **The symptoms**
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The symptoms

**Cancer :**


Some others  
can cause  
**Cancer**  
of the  
  
**cervix, vulva,  
vagina & anus**



- The disease
- **The symptoms**
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The symptoms

Cases of HPV cancers graph :



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The stages

Of the disease :


-

CIN I

CIN II

CIN III

Development  
from **positive**  
into  
**cervical cancer**




- The disease
- The symptoms
- HPV stages
- **Precaution**
- The doctors
- The patients
- The protocol
- Results

## ■ The precaution

Test and /or vaccine :

Detection  
of  
**abnormal cells**


**Pap test**



Vaccine  
against  
**cancer**

**Vaccine**

*to Fight Cervical Cancer*





- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results


## They chose it for prevention

They started with :



started subscribing  
ImunoBran 250 mgr

to prevent  
the extension of  
HPV CIN stage




\*CIN: Cervical Intraepithelial Neoplasia (cancer)



- The disease
- The symptoms
- HPV stages
- Precaution
- **The doctors**
- The patients
- The protocol
- Results

## ■ The doctors

1 gynecologist



&  
complementary  
doctor

started subscribing  
**ImunoBran 250 mgr**

in a  
**maternity house**  
of Athens



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- **The patients**
- The protocol
- Results

## ■ The patients

**150 females patients of HPV**



protocols		
group A	group B	CIN* Test
120	0	Stage CIN I
10	12	Stage CIN II
0	8	Stage CIN III
130	20	Patients
150		Patients

\*CIN: Cervical Intraepithelial Neoplasia (cancer)



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- **The protocol**
- Results

## ■ The protocols



**ImunoBran tablets 250 mgr**

## The dosage protocols

**Group A**

- **500** mgr per day (2 tablets)
- for **3** months



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The protocols



### ImunoBran tablets 250 mgr

## The dosage protocols

### Group A

- 500 mgr per day (2 tablets)
- for 3 months

### Group B

- 1500 mgr per day (6 tablets)
- for 12 months



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The protocols

**150 females patients positive to HPV**

**2 protocols**

500 mgr/d

1500 mgr/d

CIN Test

120

0

Stage CIN I

10

12

Stage CIN II

0

8

Stage CIN III

130

20

Patients

150

Patients

\*CIN: Cervical Intraepithelial Neoplasia (cancer)



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The results

**150 females patients positive to HPV**

500 mgr/d

stage	participants	cured	%	HPV test (after 12 months)
CIN I	120	118	98.3 %	not detectable
CIN II	10	4	40 %	Stage CIN I
		6	60 %	Stage CIN II

1500 mgr/d

CIN II	12	2	16.6 %	not detectable
		7	58.3 %	Stage CIN I
		5	25.1 %	Stage CIN II
CIN III	8	0	0 %	not detectable
		1	12.5 %	Stage CIN I
		4	50 %	Stage CIN II
		3	37.5 %	Stage CIN III


	150	120	80 %	not detectable
--	-----	-----	------	----------------



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## ■ The results

### Effectiveness of 2 different ImunoBran dosages






- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

## Conclusion

**ImunoBran** seems to have definitely a positive effect in HPV treatment



- The disease
- The symptoms
- HPV stages
- Precaution
- The doctors
- The patients
- The protocol
- Results

■ Thank you !



## **ImunoBran Luxembourg et France**

### **MSA-LUX S.à r.l.-S**

Bureau: 72, rue Adolphe Fischer, L-1520 Luxembourg

GSM: +352 661 666 878, e-mail: [imuno@imunobran.lu](mailto:imuno@imunobran.lu)

[www.imunobran.lu](http://www.imunobran.lu)

Fabricant ImunoBran: Daiwa Pharmaceutical Co. Ltd, Japon